

## Innova 60/65/75/85 B



# The innovative scrubbing machine which allows a dramatic reduction in the cost of cleaning

Available in the version with one 60-cm working width disc brush as well as in the version with two 65-, 75- and 85-cm disc brushes



# Innova 60 B is the highly user-friendly scrubbing machine suitable for maintenance cleaning of commercial surfaces up to 3000 sq.m



**Innova 60 B** is a battery ride-on scrubbing machine with automatic traction drive available in the version with 1 disc brush, with a working width of 61 cm.

Innova 60 B was designed in order to replace a walk-behind scrubbing machines, with the aim to drastically reduce sq.m scrubbed cost offering a real competitive advantage, particularly for the end user.


User-friendliness
WITHOUT ADDITIONAL COSTS
FOR OPERATOR TRAINING



Just turn the key to start working immediately



The brush head and the squeegee are lowered/raised by simply using two levers



- Advantageous purchase price,
- Economic advantage while using it.
   Extremely convenient to clean surfaces, starting from 1200 sq.m with at least two cleaning operations per week,
- The economic advantage to use it up to four non-stop working hours thanks to the optimization of energy consumption,
- Compact size which allows the machine to pass even through traditional doors or be transported in lifts,
- The advantage of performing even in highly noise-sensitive environments such as nursing homes and hospitals, thanks to its very low acoustic pressure level.



Innova 60 B

### Innova 65/75/85 B.

### Maximum equipment and maximum cost saving for maintenance cleaning costs of surfaces up to 3500 sq.m

Innova 65/75/85 B is a battery ride-on scrubbing machine with automatic traction drive, available in the version with 2 disc brushes, with working width of 65, 75. and 85cm.

Innova 65/75/85 B is a scrubbing machine which guarantees a dramatic reduction in the cost of cleaning thanks to an advantageous purchase price and complete equipment of all Comac systems which reduce waste and consumption.

Compared to a walk-behind scrubbing machines Innova 65/75/85 B offer the following benefits:

- No more operator training thanks to "Working program selector" equipped as standard.
- Optimization of consumption thanks to the Start&Stop device equipped as standard which ensures a working autonomy increase up to 35% (compared to the previous model) so that the machine can be used for up to four non stop working hours,
- The Innova 65/75/85 B scrubbing machines generate a very low acoustic pressure level.

Thanks to Comac water and detergent dosing system (CDS, Comac Dosing System) solution (water and detergent) saving up to 50% is ensured








Separate management of water and detergent

Innova 65/75/85 B machines are equipped with a CDS as well as a water distributor system which guarantees a uniform distribution of water on both brushes: even with reduced flow rates. In addition, Innova 65/75/85 B machines are equipped with a START&STOP system which stops water flow and brushes when the machine is idle





of the tank with clean water without the presence of the operator





Innova 65/75/85 is equipped as standard with a device that allows the adjustment of the working width from 65 to 85 cm. (for further information, please contact Comac Technical Assistance Service)



# Innova 60/65/75/85 B machines are safe, productive and user-friendly



Low center of gravity for optimum stability. Capable of ramp gradients up to 18%



Automatic swing-in of the brush head when accidentally impacted




Automatic squeegee uncoupling when accidentally impacted






The suction head is silenced, guaranteeing a very low acoustic pressure level and allowing to performe in higly noise-sensitive environments such as nursing homes and hospitals, without disturbing the environment or the people who live in it



Best manoeuvrability even in narrow spaces thanks to tight turning diameter



### Innova 65/75/85 B. No more time and costs for the operator training thanks to the working program selector

The working program selector offers an extremely intuitive approach even for non-specialized operators. It allows to choose the selection of four pre-set working programs: Transfer, Drying, Scrubbing/Drying, Scrubbing only.

Once selected the most suitable program, Innova 65/75/85 B does all the thinking.

















Easy rubber replacement without any tools on the exclusive Comac squeege (Patent Pending)

# COMAC Spa reserves the right, at anytime, to make bethinical and/or equipment modifications without prior notification. The images are shown as reference only and are not binding as to the actual design and/or equipment. - CODE, 301701 - Gayright © COMAC 2011

### Innova 60/65/75/85 B available equipment



STANDARD EQUIPMENT	Innova 60 B	Innova 65/75/85 B
Water and detergent management		
Water and detergent management		
Water Management	•	-
CDS (Comac Dosing System)	-	•
Water dispenser	-	•
Eco ON/OFF	•	-
Start&Stop	-	•
Fast water filling with drip stop	•	•
Water level indicator	•	•
Scrubbing performance		
Adjustable brush pressure	-	•
Ramp climbing capacity	•	•
Squeegee with polyurethane	•	•
rubber bars usable on 4 sides		
Variable scrubbing head	-	•
3-stage suction motor	-	optional
Operating autonomy		
(4) 6V/210 Ah C5 batteries	optional	optional
(2) 12V/130 Ah C5 batteries	optional	optional

STANDARD EQUIPMENT	Innova 60 B	Innova 65/75/85 B
Comfort		
Silenced suction		
Fully sanitizable tanks	•	•
Programme selector	-	•
Step-through access		•
On-board battery charger	optional	optional
Hour meter	•	•
Battery charge level	•	
Solution tank Fast Fill	-	optional
Safety		
Anti-skid and non-marking front drive wheel	•	•
Antiskid and non-marking rear wheels	•	•
Mechanical service and parking brakes	•	•
Flasher	optional	optional
Squeegee with shock-resistant coupling		•
Scrubbing head with impact-elicited swinging in	ı -	•
Dead man's switch		•
Horn	•	•

TECHNICAL DATA		Innova 60B	Innova 65B	Innova 75B	Innova 85B
Squeegee width	mm	780	970	970	1085
Disc brushes Ø (n.)	mm	610 (1)	340 (2)	380 (2)	430 (2)
Brush rpm	rpm	170	170	170	170
Brush motor (n.)	V/W	24/450 (1)	24/450 (2)	24/450 (2)	24/450 (2)
Suction motor	V/W	24/310	24/310	24/310	24/310
Traction motor	V/W	24/400	24/400	24/400	24/400
Forward speed	km/h	0 <del>÷</del> 6	0÷6	0÷6	0÷6
Max gradient at full load	%	up to 18	up to 18	up to 18	up to 18
Turning diameter	mm	1910	1910	1910	1910
Batteries (n.)	V/Ah C5	6/210 (4)	6/210 (4)	6/210 (4)	6/210 (4)
Batteries weight	kg	136	136	136	136

como:	Working width mm	Brushes pressure	Power supply V/ traction	Solution tank l	Recovery tank I	Working capacity up to sq.m/h	Machine dimensions mm L x H x W	Machine weight kg (without batteries)
Innova 60B	610	30	24/aut.	110	125	3660	1495 1320 680	223
Innova 📩 65B	650	30÷60	24/aut.	110	125	3900	1495 1320 680	223
Innova 75B	750	30÷60	24/aut.	110	125	4500	1495 1320 680	223
Innova 85B	850	30÷60	24/aut.	110	125	5100	1495 1320 680	223



B - Battery powered machine with voltage value











COMAC spa Via Maestri del Lavoro, 13 37059 Santa Maria di Zevio - Verona - Italy Tel. +39 045 8774222 - Fax +39 045 8750303 on line: www.comac.it - e-mail: com@comac.it